

TAP INTO BETTER MEETINGS.



Logitech Tap

The Logitech^{*} Tap touch-screen controller connects to any computer via USB, opening up new possibilities for applications like team collaboration, room automation, environmental control, and digital signage. Unlike AV controllers that require complex integration and installation, Logitech Tap offers plug-and-play connectivity as an additional display. Developers and system integrators can then design a touch-based user interface to simplify workflows and automate tasks.

Boasting a crisp 10.1" touchscreen, low-profile enclosure, and multiple mounting accessories, Logitech Tap delivers a sleek appearance and convenient placement options that support a wide range of room sizes and layouts. Logitech Tap is an ideal controller for video conferencing room solutions from Google^{*}, Microsoft^{*}, and Zoom. For more information about preconfigured Logitech room solutions for Hangouts[™] Meet, Microsoft Teams Rooms and Skype^{*} Room Systems, and Zoom Rooms, please visit www.logitech.com/Tap.

FEATURES & BENEFITS

Logitech Tap is designed for reliable performance in the workplace, with thoughtful features that deliver a great user experience. A range of mounts and the option to route cables out the back or from the bottom means you can deploy Tap at most any interior location.

10.1" touch display: Spacious and responsive touch screen resists fingerprints and glare for high legibility and easy operation.

Silent enclosure: The sleek, fan-free design provides a comfortable 14° angle for easy reading while creating space for connections, cables, and retention mechanisms.

3 Always-on readiness: Built-in motion sensor saves power when idle, and powers on when a person approaches.

Headphone jack: Extends the host computer's wired audio capabilities to the tabletop, ideal for private conversations and for the hearing-impaired.

5 **Dual cable exits:** A sturdy metal cover with removable bottom and rear exits keep cables tidy and secure.

Built-in cable retention: To keep connections tight, Tap features a comprehensive strain relief and retention system, hidden entirely within its enclosure.

USB accessory port: Connect an accessory such as a USB speakerphone, or connect a second Tap for applications that support screen replication.

Multiple mounting options. A built-in 100mm VESA pattern is compatible with thousands of third-party mounts and accessories. Optional table, riser, and wall mounts offer even more flexibility.

HDMI input for content sharing: Provides instant wired content sharing when used with Google Hangouts Meet hardware, Microsoft Teams Room, and Zoom Rooms.

Anti-theft protection: Keep Tap securely in place by connecting a security cable to one of Tap's two Kensington lock slots, one on the bottom and another at the back.

In-wall rated cabling: The included 10m (32.8 ft) Logitech Strong USB cable offers high pull strength and is both plenum-rated and Eca certified for cable runs in walls, above ceilings, and through conduit.





Bottom

LOGITECH TAP TECHNICAL SPECIFICATIONS

PRODUCT DIMENSIONS

Total Height x Width x Depth: 58 x 244 x 179 mm 2.3 x 9.6 x 7.0 in 1.25 kg (2.75 lbs)

TOUCH SCREEN

10.1" diagonal screen with 14° display angleOleophobic and anti-glare coating1280 x 800 resolution

SYSTEM REQUIREMENTS

Windows^{*} 10 Chrome OS™ USB 2.0, 3.0, or 3.1 Type A port

OPTIONAL ACCESSORIES

Table Mount Riser Mount Wall Mount PC Mount Logitech Strong USB cable: 10m cable included, 25m optional

PORTS AND INTERFACES

USB 2.0/3.0/3.1 Type C (to PC)

USB 2.0/3.0/3.1 Type A (for accessory connection)

Integrated ultrasonic speaker

Integrated PIR Motion Sensor

100mm x 100mm VESA FDMI (Flat Display Mounting Interface) Kensington Lock Slots (2)

COMPATIBILITY AND CERTIFICATIONS

Logitech Tap is certifi d as a touch controller for video conferencing room solutions:

Google Hangouts Meet

Microsoft Teams Rooms and Skype Room Systems (SRS)

Zoom Rooms

DisplayLink[®] Plug and Display™: Tap connects via USB as an additional display for supported operating systems, including Windows 10 and Chrome OS

INSIDE THE BOX

Tap Touch Controller

Logitech Strong USB 2.0/3.0/3.1 Cable 10m (32.8 ft)

Type A (male) to Type C (male)

Aramid-reinforced

Plenum Rated

Eca/IEC 60332-1-2 Compliant

¾" Conduit friendly

HDMI 1.4a cable 2.0m/6.5 ft

Power adaptor with regional plugs (100-240v) 2.95m/9.67 ft

VESA Mounting Screws (4)

Microfi er Cloth

Documentation

WARRANTY

2-year limited hardware

PART NUMBERS AND UPC

Part #: 939-001796 UPC: 97855147400

ROOM SOLUTIONS WITH LOGITECH TAP

Video conferencing room solutions with Logitech Tap deliver calendar integration, touch-to-join, instant content sharing, and always-on readiness. Pre-confi ed with room-optimized software from Google, Microsoft, or Zoom, Logitech Room Solutions include all necessary components: Tap touch controller, small form factor computer, in-wall rated cabling, and Logitech MeetUp or Rally conference camera. Learn more at www.logitech.com/tap.



© 2019 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.